

AllPro Products 2015

Joe Andrews

AllPro Vector Group 919.343.8440 Joea@allprovector.com





EVOLUER

Vectofos 1.5 ULV



Oil based

- Evoluer 4-4: Ready to Use
- Evoluer 30-30
- Evoluer 31-66
- Vectofos 1.5: Chlorpyrifos
 - Ideal for your pyrethroid resistance program
 - An organophosphate (pesticide class change)
 - Very soon to go away



Water soluble

Guaranteed to remain in suspension

- Envior 30-30
- Aqualuer 20-20
- Envion 4+4 RTU

Triple rinse is a breeze with water soluble products



Aqualuer 20-20

- Very stable
- Blended with orange oil
 - Smells nice and fruity
 - Keeps lines and nozzles squeaky clean
- Extensively tested by our military
- Performs extremely well under harsh arid conditions




Envion 30-30

- Remains in suspension when mixed with water
- Can be mixed and stored in bulk
- Less oils:
 - Environmentally considerate
 - Cost effective
- Labeled for ground and aerial applications
- Triple rinse simplified



Dosematic

Dosematic mixing unit





Pro/ect





Provect Products

- Contain Temephos
- Effective against all instars

Gone Dec. 31st 2015

- Economical and cost effective
- A fail-safe larvicide for both ground and aerial applications



Sustain MBG

- Time released BTI corn cob granule
- Each layer is covered by water soluble film
- Now labeled for pre-treat!!!
- Last layer is free BTI, immediate results
- Lasts at least 3-4 weeks
- A cost effective high residual larvicide




Sustain MBG

- Layered BTI labeled for all your habitats
 - Catch basins
 - High organic
 - Containers
 - Dredge spoils
- 40# coffee bags with vapor valve for assured freshness
- 8# coffee bags are now available



Harrison County, MS

Continued control for 4-6 weeks at maximum label rate





Bell Circle: Harrison County, MS



Highly organic run off water, Sustain MBG was applied at max rate.

The predominant species were *Culex* restuans *Culex*

quinquefasciatus, Psorophora ferox and Ochlerotatus sticticus.



Lee County Mosquito Control District




Evaluated aerial application efficacy and longevity of Sustain MBG median rate to a mangrove environment.

Culex nigripalpus and Ochlerotatus taeniorhynchus predominated



Lee County, FL

Pupae were suppressed for the duration of the project, there was a dry down on the 12th and 13th where larvae were found in small pools.




Treated sites were flooded again on the 17th, and still showed control.



Cypress Apartments

Median application rate of 10lb/ac
A slight uptick in larvae noted in the fourth week.






Dorothy was the site that showed control for the longest period

The larval population suppressed for over four weeks

This site maintained control for the longest (lower organic content)




Much like our ditches and catch basins



Bose Allan Catch basins

The application rate was 10 lb/ac

By the fourth week larvae were returning to the site.





"I want to know God's thoughts, the rest are details"

Albert Einstein







Labels and information available at: allprovector.com

Joe Andrews

AllPro Vector Group 919.343.8440 Joea@allprovector.com